

MICROCOPY RESOLUTION TEST CHART
MATIONAL BUREAU OF STANDARDS-1963-A

17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report) Same as 16

18. SUPPLEMENTARY NOTES

None

19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Ultrasonics; acoustic transients; acousto-optic effects; fiber optic sensors; thermal phonons; polyvinylidene fluoride; acoustic impulses; elastic waves in solids; elastic waves in liquids; scattering of acoustic waves.

20. ABSTRACT (Continue on reverse side if necessary and identify by block number)

 $\vec{\gamma}$ This final report outlines research in physical acoustics performed in the Physics Department of John Carroll University during the period 1 December 1974 to 30 November 1983 under ONR Contract N00014-75-C-0247. The overall goals of this research and the various projects conducted are outlined. latter included studies of fluids in the vicinity of the critical point; studies of thermal phonon propagation in single crystals; acoustic impulse generation, propagation and scattering studies; and basic research and (Over)


, 1473 EDITION OF 1 NOV 65 IS OBSOLETE COPPN 0102- LF- 014- 6601

Unclassified SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

BLOCK 20

development work on fiber optic acoustic sensor systems. Also included in this report are a list of publications resulting from the contract research and a list of graduate students who participated in the program, including the titles of their theses.

5/N 0102- LF- 014- 6601



on

ONR Contract N00014-75-C-0247

STUDIES OF THE PROPAGATION OF ELASTIC WAVES IN FLUIDS AND SOLIDS

1 December 1974 to 30 November 1983

Department of Physics John Carroll University Cleveland, Ohio 44118

15 December 1983

DISTRIBA

Approved for public release;
Distribution Unlimited

84 02 06 028

INTRODUCTION

During the nine year period 1 December 1974 to 30 November 1983 the Acoustics Branch of the Office of Naval Research partially supported an extensive physical acoustics research program in the Department of Physics of John Carroll University. This research was conducted under ONR Contract NO0014-75-C-0247 and was directed by Dr. Edward F. Carome, Professor of Physics. The long range goals of this program, some of its accomplishments, and the various research projects that were conducted with ONR support are outlined in this report. Also included are a list of publications resulting from the contract research and a list of graduate students who participated in the program, together with titles of their theses.

LONG RANGE GOALS

The ultimate goal of this physical acoustics research program had several important aspects. Scientifically its objectives were to obtain fundamental information about the structure of matter through studies of elastic wave propagation in gases, liquids and solids and, from a more applied point of view, to determine how the material properties and geometrical configurations of various systems affect the generation, propagation and reception of sonic and ultrasonic waves. Since this program was conducted within an academic institution it had the additional objective of educating physics majors in acoustics, as one of the important areas of physics. The University has recognized physical acoustics as a worthwhile area in which to excel. Over the past twenty-five years it has contributed to the steady expansion of the program, providing more than

10,000 square feet of modern laboratory space, substantial amounts of equipment and supplies, and more than adequate released time for faculty members.

AREAS OF RESEARCH AND ACCOMPLISHMENTS

The acoustics program supported by the contract was a very broad one. It included work in many different areas such as studies of the properties of gases, liquids, and solids by measurements of the velocity and absorption of sound in the kilohertz, megahertz, and gigahertz ranges; studies of diffraction and scattering of ultrasound; studies of the generation, propagation, and detection of acoustic transients, including laser induced pressure pulses; studies of the generation and detection of phonons in the fifty to five hundred gigahertz range using superconducting devices; and the discovery and investigation of acoustooptic interactions in optical fibers and the application of this phenomena in the development of various types of fiber optic transducers. It is appropriate to point out here that the current DOD Fiber Optic Sensor System (FOSS) Program arose out of cooperative research efforts, supported partially by this contract, between the Department of Physics of John Carroll University and the Physical Acoustics Branch of the Naval Research Laboratory.

In the following sections the research conducted in these various areas is briefly discussed. Detailed results are presented in the publications listed in this report.

1. Acoustic Studies of the Properties of Fluids in the Vicinity of the

Critical Point.

During the initial phase of this contract a long term study of the properties of simple fluids in the vicinity of the critical point was concluded. The final research in this area consisted of detailed measurements of the shear viscosity of carbon dioxide, sulfur hexafluoride and ethane. These were made using an acoustic resonator technique specifically developed for these critical point studies. The experimental data clearly show that there is an anomalous increase in the shear viscosity of simple fluids and indicated that in the low kilohertz range the functional form of the divergence is cusp-like in all three fluids. The results are consistent with the mode-mode coupling theory of Kadanoff and Swift and provided some of the first evidence of a universality in the behavior of the shear viscosity of simple fluids near the gas-liquid critical point.

2. Acoustic Studies of the Properties of Solids.

Research was done on the propagation of thermal phonons in the frequency range 50 to 300 gigahertz in crystalline solids at low temperatures. This involved extensive work on the development of very high frequency phonon generators and detectors, such as superconducting tunnel junction and fluorescent generators, and superconducting bolometers. These were used in experiments on the phonon propagation characteristics of various materials including high quality Al_2O_3 single crystals, and degenerate n-type InAs and InSb single crystals. The experiments were performed at temperatures between 1.6°K and 4.2°K where phonon propagation is ballistic. Constantin heaters and tin fluorescent generators were used as phonon generators and granular aluminum bolometers as detectors. Using

this technique phonon scattering was studied over a wide range of input powers and pulse widths and the data fielded clear evidence of strong phonon-electron interactions in these two degenerate semiconductors.

A study also was made of acoustic absorption in uniaxially and biaxially stretched polyvinylidene fluoride PVF₂ polymer films over the frequency range 300 to 1500 MHz. Data were obtained at room temperature using a direct, continuous wave transmission-substitution technique. Within the precision of the measurements the absorption coefficient was the same for the various samples studied and was a linear function of the frequency ranging from 0.02 dB/micron at 300 MHz to 0.65 dB/micron at 1500 MHz. These measurements extended by almost a decade the frequency range over which such data were previously available.

3. Acoustic Impulse Studies.

The acoustic impulse technique developed under this and earlier ONR contracts was applied in a variety of projects. In cooperative studies with the Physical Acoustics Branch of the Naval Research Laboratory, for example, extensive research was done on diffraction effects and scattering of unipolar pressure impulse of widths as narrow as 0.1 µsec. Since they are well defined in both space and time such signals are ideally suited for resolving the various waves that may be generated when an acoustic wave is incident on an object submerged in water. Using both acoustic probe techniques and high resolution schlieren systems developed specifically for this work, extensive data were gathered on scattering by metal plates, solid cylinders and hollow shells. These experiments led to theoretical

studies of schlieren image intensity distributions of unipolar acoustic pulses that established quantitative relationship between acoustic pressure amplitude and the corresponding schlieren images. The results have proved to be of great use in analyses of scattering by complex acoustic targets and in determinations of transducer transfer functions.

As an application of the impulse technique in the evaluation of transducer transfer functions it was employed as an efficient means to study the characteristics of new types of ultrasonic hydrophones. These were constructed using thin films of piezoelectrically active PVF, and included small diameter probes, linear elements, annular rings and other configurations. The experimental results indicate that such transducers can behave as broadband, non-intrusive, i.e., acoustically transparent, detectors of ultrasound in water and other liquids. The wide band acoustic pulses used to calibrate the various hydrophones were produced by driving thick PZT disks with monopolar electrical voltage pulses. It may be shown that the temporal form of the initial pressure pulse radiated into a water load is the same as that of the applied voltage. Thus the amplitude and phase response of an ultrasonic receiver can be found by deconvolution of the source transducer and receiver voltage pulses. This procedure was performed for the various hydrophone probes via fast Fourier transformations of the sampled incident and output waveforms. The results clearly showed that the 25 micron thick PVF, hydrophones have flat frequency response and linear phase response to well above 10 MHz, and that the group (phase) delay associated with the phase response is negligible.

Concepts developed in this phase of the research were employed

in a study, partially supported under the contract, of a technique for generating bistatic and total field scattering patterns of submarines using monostatic target strength data. This technique was applied to target strength data for several submarine highlights obtained in sea test studies. A number of total field scattering patterns for the major horizontal plane of a submarine were developed and analyzed and the results appear to be meaningful. They clearly indicate that the technique should be of use in analyses of submarine detectibility, weapons scenarios and other underwater target problems.

4. Fiber Optic Sensor Studies.

The current NRL directed Fiber Optic Sensor System (FOSS) Program arose out of cooperative research efforts between the John Carroll Physics Department and the NRL Physical Acoustics Branch that were partially supported by this contract. Late in 1976 and during the first six months of 1977 the initial experiment that indicated the feasibility of an interferometric-type optical fiber acoustic sensor were carried out at John Carroll and at NRL. Based on the results of these experiments funding was obtained from DARPA and other DOD groups for the present multi-disciplinary FOSS program.

Research on various types of fiber optic acoustic sensors, including intensity as well as interferometric types, were continued at the University. An experimental study was made, for example, of an optical waveguide coupler-type acoustic sensor that employs multimode fibers. With LED optical sources this sensor behaves as an optical intensity modulation sensor with sensitivity of the order of 70 dB re 1 µPa. A study also was made of a dark field-type microbend sensor

that employs graded index multimode fibers. Extensive work was done on the development of suitable fiber-to-fiber couplers to pick up bending-induced light transferred from core to cladding in this type of sensor. In addition to this work on optical fiber acoustic sensors other related studies were made of acousto-optic interactions in optical fibers and other effects of interest in fiber sensor work.

PRINCE SECRECAL PRINCES INDICATE ACCORD ACCORD ACCORD ACCORD ACCORD.

PUBLICATIONS RESULTING FROM RESEARCH PARTIALLY SUPPORTED BY THE CONTRACT

- 1. "Superconducting Transducers for Use in the 50-1000 GHz Range," E. F. Carome, <u>Proceedings</u>, Course LXIII Int. School of Phys. "Enrico Fermi", North Holland Publishing Co. (1975).
- "Improved Acoustic Viscosimeter Technique," M. R. Fisch, R. P. Moeller, and E. F. Carome, J. Acoust. Soc. Am. 60, 623 (1976).
- 3. "Optical Fiber Acoustic Sensor," J. A. Bucaro, H. D. Dardy, and E. F. Carome, Appl. Opt. 16, 1761 (1977).
- 4. "Fiber-optic Hydrophone," J. A. Bucaro, H. D. Dardy and E. F. Carome, J. Acoust. Soc. Am. 62, 1302 (1977).
- 5. "Effects of Diffraction on Stress Pulse Propagation," M. R. Layton, E. F. Carome, H. D. Dardy, and J. A. Bucaro, Tech. Report PH 77-1, John Carroll University (1977).
- 6. "Phonon Propagation Characteristics in N-Type InAs," B. D. Hunt and J. Trivisonno, Proceedings, IEEE Ultrasonics Symposium, 333 (1977).
- 7. "Acoustic Backscattering From Thin Air-filled Spherical Shells in Water," J. L. Hunter, M. R. Layton and M. R. Fisch, J. Acoust. Soc. Am. 62, 1139 (1977).
- 8. "Quantitative Schlieren Visualization of Unipolar Acoustic Transients," J. A. Bucaro, L. Flax, and E. F. Carome, J. Acoust. Soc. Am. 63, 43 (1978).
- 9. "Single Fiber Interferometric Acoustic Sensor," J. A. Bucaro and E. F. Carome, Appl. Opt. <u>17</u>, 330 (1978).
- 10. "Acoustically Induced Phase and Intensity Modulation in Optical Fibers," E. F. Carome and M. P. Satyshur, Technical Report PH 78-2, John Carroll University (1978).
- 11. "Heat Pulse Propagation Characteristics in N-Type InAs," B. D. Hunt, J. Trivisonno, T. T. Long, L. A. Blyth and C. E. Walz, Technical Report PH 78-1, John Carroll University (1978).
- 12. "Effects of Diffraction on Stress Pulse Propagation," M. R. Layton, E. F. Carome, H. D. Dardy and J. A. Bucaro, J. Acoust. Soc. Am. 64, 250, (1978).
- 13. "An Empirical Study of Circumferential Waves in Thin Air-filled Cylindrical Shells in Water," J. L. Hunter and R. Bugaj, Acoust. Lett. 1, 148 (1978).
- 14. "Optical Fiber Acoustic Sensor," E. F. Carome and M. P. Satyshur, in Fiber Optics: Advances in Research and Development, Edited by B. Bendow and S. Mitra, Plenum Press (1979).

- 15. "High Frequency Ultrasonic Absorption Measurements in PVF₂ Films," R. D. Scheyer, J. E. Heiserman, and E. F. Carome, <u>Proceedings</u>, IEEE Ultrasonics Symposium, 499 (1979).
- 16. "Multimode Fiber Acoustic Sensor," E. F. Carome and K. P. Koo, Opt. Lett 5, 359 (1980).
- 17. "PVF₂ Phase Shifters and Modulators for Fiber Optic Sensor Systems," E. F. Carome and K. P. Koo, <u>Proceedings</u>, IEEE Ultrasonics Symposium, 710 (1980).
- 18. "Frequency Mixing in Fibre-optic Interferometer Systems," K. P. Koo and E. F. Carome, Electronic Letters, 17, 380 (1981).
- 19. "Simple Circuit for Feedback Stabilization of a Single-mode Optical Fiber Interferometer," Klaus Fritsch and Grigory Adamovsky, Rev. Sci. Inst. 52, 996 (1981).
- 20. "Technique for Generating Total Field Scattering Patterns Using Monostatic Scattering Data," E. F. Carome, C. M. Davis and R. K. Hastie, <u>Proceedings</u>, Underwater Sound Conference, San Diego (1981) CONFIDENTIAL.
- 21. "High Kilohertz Frequency Fiber Optic Phase Modulators," E. F. Carome and G. Adamovsky, <u>Proceedings</u>, International Conference on Fiber Optic Rotation Sensors, Springer Verlag (1982).
- 22. "An Analysis of Pulsed Ultrasonic Fields by PVDF Spot-Poled Membrane Hydrophones, G. R. Harris, E. F. Carome and H. D. Dardy, IEEE Trans. Sonics Ultrason., SU 30, 295 (1983).

GRADUATE STUDENTS WHO RECEIVED PARTIAL SUPPORT UNDER

THE CONTRACT AND THEIR THESIS TITLES

1975

Linda C. Burke

"Surface Waves Generated on Liquid Solid Interfaces by Laser-Induced Acoustic Pulses."

Michael R. Fisch

"An Experimental Study of the Shear Viscosity of Simple Fluids in the Critical Region."

Thomas T. Long

"The Preparation and Use of Thin Film Devices for the Generation and Detection of Phonons in Sapphire."

Leon J. Miernicki

"An Experimental Study of the Transition Region Operating Curves of a Superconducting Thin Film Bolometer."

1976

Mary Beth Abele

"Shear Viscosity Measurements of a Critical Liquid Mixture."

Lynn A. Blyth

"The Use of Gold-Seeded Tin Superconducting Bolometers in the Detection of High Frequency Phonons in Semiconductors."

Alan Ivons

"A Low Temperature Study of Electromagnetic Generation of Ultrasound in Magnesium."

Thomas J. Langill

"Frequency and Mean Free Path Dependence of the Ultrasonic Attenuation in Potassium Using an Oblique Magnetic Field Technique."

Joseph J. Ursic

"Scattering of Acoustical Impulses from Liquid-Solid Interfaces."

1977

Brian D. Hunt

"The Cutoff in the Electron-Phonon Interaction in Indium Arsenide."

Michael R. Layton
"Short-Wavelength Backscattering from Thin Spherical Shells."

1978

Michael P. Satyshur
"An Experimental Study of Optical Fiber Sound Sensors."

1979

Gary S. Chulick
"Sampling and Computer Processing System for High Frequency Waveforms."

Peter B. Schmidt
"An Experimental Study of Amplitude Modulation in Optical Fibers."

Carl E. Walz "Ballistic Phonon Scattering in InAs and Al₂O₃."

1980

Charles W. Allen "The Excitation of Acoustic Modes in Metal Cylindrical Shells by Means of PVF_2 Transducers."

1981

Robert Joseph Hauenstein
"Phonon Scattering Studies in y-Lif."

Daniel Arthur Young
"The Interaction of Ballistic Phonons in a Heat Pulse with Electrons in InSb."

1982

Clarence J. Zarobila "Single Microbend-Induced Power Loss in a Corning[®] Type 4002D Parabolic Index Optical Fiber."

1983

John G. Eustace "Diffraction of Light by Acoustic Waves on a Mylar Film."

REPORTS DISTRIBUTION LIST FOR ONR PHYSICS DIVISION OFFICE UNCLASSIFIED CONTRACTS

Director Defense Advanced Research Projects Agency Attn: Technical Library 1400 Wilson Blvd. Arlington, Virginia 22209	3	eopies .
Office of Naval Research Physics Division Office (Code 412) 800 North Quincy Street Arlington, Virginia 22217	3	copies
Office of Naval Research Director, Technology (Code 200) 800 North Quincy Street Arlington, Virginia 22217	1	сору
Naval Research Laboratory Department of the Navy Attn: Technical Library Washington, DC 20375	3	copies
Office of the Director of Defense Research and Engineering Information Office Library Branch The Pentagon Washington, DC 20301	3	copies
U.S. Army Research Office Box 1211 Research Triangle Park North Carolina 27709	2	copies
Defense Technical Information Center Cameron Station Alexandria, Virginia 22314	12	2 copies
Director, National Bureau of Standards Attn: Technical Library Washington, DC 20234	1	сору
Commanding Officer Office of Naval Research Western Detachment Office 1030 East Green Street Pasadena, California 91101	3	copies
Commanding Officer Office of Naval Research Eastern/Central Detachment Office 495 Summer Street Boston, Massachusetts 02210	3	copies

Director U.S. Army Engineering Research and Development Laboratories Attn: Technical Documents Center Fort Belvoir, Virginia 22060	1	сору
ODDR&E Advisory Group on Electron Devices 201 Varick Street New York, New York 10014	3	copies
Air Force Office of Scientific Research Department of the Air Force Bolling AFB, DC 22209	1	сору
Air Force Weapons Laboratory Technical Library Kirtland Air Force Base Albuquerque, New Mexico 87117	1	сору
Air Force Avionics Laboratory Air Force Systems Command Technical Library	1	сору
Wright-Patterson Air Force Base Dayton, Ohio 45433		
Lawrence Livermore Laboratory Attn: Dr. W. F. Krupke University of California P.O. Box 808 Livermore, California 94550	1	сору
Harry Diamond Laboratories Technical Library 2800 Powder Mill Road Adelphi, Maryland 20783	1	сору
Naval Air Development Center Attn: Technical Library Johnsville Warrinster, Pennsylvania 18974	1	сору
Naval Weapons Center Technical Library (Code 753) China Lake, California 93555	1	сору
Naval Training Equipment Center Technical Library Orlando, Florida 32813	1	copy
Naval Underwater Systems Center Technical Center New London, Connecticut 06320	1	сору

KACA DESERVE KACEGE DESERVE DESERVE BELGACE BELGACE BERGER SERVES DESERVE DESE

Commandant of the Marine Corps Scientific Advisor (Code RD-1) Washington, DC 20380	l copy
Naval Ordnance Station Technical Library Indian Head, Maryland 20640	1 eop <u>y.</u>
Naval Postgraduate School Technical Library (Code 0212) Monterey, California 93940	1 сору
Naval Missile Center Technical Library (Code 5632.2) Point Mugu, California 93010	1 сору
Naval Ordnance Station Technical Library Louisville, Kentucky 40214	1 сору
Commanding Officer Naval Ocean Research & Development Activity Technical Library NSTL Station, Mississippi 39529	1 copy
Naval Explosive Ordnance Disposal Facility Technical Library Indian Head, Maryland 20640	l copy
Naval Ocean Systems Center Technical Library San Diego, California 92152	1 сору
Naval Surface Weapons Center Technical Library Silver Spring, Maryland 20910	1 сору
Naval Ship Research and Development Center Central Library (Code L42 and L43) Bethesda, Maryland 20084	l copy
Naval Avionics Facility Technical Library Indianapolis, Indiana 46218	l copy

CONTROL RESERVES SUPPLIES CONTROL CONTROLS CONTROLS DATES

AND BENEVER STATES RESERVED PROPER ENGINE

FILMED
3-84

DTIC